_.....

SAFETY DATA SHEET MELISSA OIL (BLEND)

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | |
|---|---|--|
| 1.1. Product identifier | | |
| Product name | MELISSA OIL (BLEND) | |
| Product number | 30317 | |
| 1.2. Relevant identified use | s of the substance or mixture and uses advised against | |
| Identified uses | Concentrated material for manufacturing purposes only. | |
| 1.3. Details of the supplier of | of the safety data sheet | |
| Supplier | Ancient Wisdom Marketing Ltd Block B, Parkwood Business Park 75 Parkwood Road Sheffield South Yorkshire S3 8AL | |
| | +44 (0) 114 272 9165 | |

1.4. Emergency telephone number

Emergency telephone +44 (0) 114 272 9165

SECTION 2: Hazards identification

| 2.1. Classification of the substance or mixture | | |
|---|--|--|
| Classification | | |
| Physical hazards | Not Classified | |
| Health hazards | Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 | |
| Environmental hazards Aquatic Chronic 2 - H411 | | |

Classification (67/548/EEC or Xi; R41, R38. N; R51/53. R43 1999/45/EC)

2.2. Label elements

Pictogram



Signal word

Danger

| Hazard statements | H315 Causes skin irritation. H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. H317 May cause an allergic skin reaction. |
|--|--|
| Precautionary statements | P261 Avoid breathing vapour/spray. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. |
| Contains | CITRAL, CITRONELLAL , GERANIOL, CITRONELLOL, GERANYL ACETATE, LIMONENE, 6-METHYL-5-HEPTEN-2-ONE |
| Supplementary precautionary statements | P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P501 Dispose of contents/container in accordance with national regulations. |

2.3. Other hazards

SECTION 3: Composition/information on ingredients

| 3.2. Mixtures | | |
|--------------------------|---|--------|
| CITRAL | | 30-60% |
| CAS number: 5392-40-5 | EC number: 226-394-6 | |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xi; R36/38. R43 | |
| Eye Irrit. 2 - H319 | , | |
| Skin Sens. 1 - H317 | | |
| CITRONELLAL | | 10-30% |
| CAS number: 106-23-0 | EC number: 203-376-6 | |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xi; R36/38. R43 | |
| Eye Irrit. 2 - H319 | | |
| Skin Sens. 1 - H317 | | |
| GERANIOL | | 10-30% |
| CAS number: 106-24-1 | EC number: 203-377-1 | |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Skin Irrit. 2 - H315 | Xi; R41, R38. R43 | |
| Eye Dam. 1 - H318 | | |
| - Skin Sens. 1 - H317 | | |

| CITRONELLOL | | 5-10% |
|--|--|-------|
| CAS number: 106-22-9 | EC number: 203-375-0 | |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) Xi; R36/38. N; R51/53. R43 | |
| GERANYL ACETATE | | 1-5% |
| CAS number: 105-87-3 | EC number: 203-341-5 | |
| Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) Xi; R38. N; R51/53. R43 | |
| LIMONENE | | 1-5% |
| CAS number: 138-86-3 | EC number: 205-341-0 | |
| M factor (Acute) = 1 | M factor (Chronic) = 1 | |
| Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43 | |
| CITRONELLYL ACETATE | | 1-5% |
| CAS number: 150-84-5 | EC number: 205-775-0 | |
| Classification Skin Irrit. 2 - H315 Aquatic Chronic 2 - H411 | Classification (67/548/EEC or 1999/45/EC) Xi; R38. N; R51/53 | |
| 6-METHYL-5-HEPTEN-2-ONE | | 1-5% |
| CAS number: 110-93-0 | EC number: 203-816-7 | |
| Classification Flam. Liq. 3 - H226 Eye Irrit. 2 - H319 | Classification (67/548/EEC or 1999/45/EC) Xi; R36. R10 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

| 4.1. Description of first aid me | asures | |
|---|---|--|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. | |
| Ingestion | Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately. | |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. Get medic attention if symptoms are severe or persist after washing. | |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. | |
| 4.2. Most important symptoms | and effects, both acute and delayed | |
| General information | Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards. | |
| 4.3. Indication of any immedia | te medical attention and special treatment needed | |
| Notes for the doctor | No specific recommendations. | |
| SECTION 5: Firefighting meas | sures | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | Extinguish with the following media: Foam, carbon dioxide or dry powder. | |
| Unsuitable extinguishing media | Water. | |
| 5.2. Special hazards arising fr | om the substance or mixture | |
| Specific hazards | Toxic gases or vapours. | |
| 5.3. Advice for firefighters | | |
| Protective actions during firefighting | Containers close to fire should be removed or cooled with water. | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| SECTION 6: Accidental release | e measures | |
| 6.1. Personal precautions, pro | tective equipment and emergency procedures | |
| Personal precautions | Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. | |
| 6.2. Environmental precaution | S | |
| Environmental precautions | Do not discharge into drains or watercourses or onto the ground. | |
| 6.3. Methods and material for | containment and cleaning up | |
| Methods for cleaning up | Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon | |

as possible. Wash thoroughly after dealing with a spillage.

containers containing waste and contaminated materials and remove from the area as soon

6.4. Reference to other sections

| SECTION 7: Handling and storage | | |
|--|--|--|
| 7.1. Precautions for safe h | andling | |
| Usage precautions | Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing. | |
| Advice on general occupational hygiene | Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. | |
| 7.2. Conditions for safe sto | prage, including any incompatibilities | |
| Storage precautions | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. | |
| 7.2 Specific and use(a) | | |

7.3. Specific end use(s)

8.1. Control parameters

8.2. Exposure controls

Protective equipment





| Appropriate engineering controls | Provide adequate ventilation. |
|-------------------------------------|---|
| Eye/face protection | Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact. |
| Hygiene measures | No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. |
| Respiratory protection | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. |
| Environmental exposure controls | Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. |
| SECTION OF Developed and O | homical Draportica |

SECTION 9: Physical and Chemical Properties

| 9.1. Information on basic physical and chemical properties | | |
|--|--------------------------|--|
| Appearance Liquid. | | |
| Colour | Light (or pale). Yellow. | |
| Odour | Characteristic. | |
| Flash point | 72°C | |

| 9.2. Other information | | |
|-------------------------------------|---|--|
| Refractive index | ~ 1.480 @ 20°C | |
| SECTION 10: Stability and rea | activity | |
| 10.1. Reactivity | | |
| 10.2. Chemical stability | | |
| Stability | Stable at normal ambient temperatures. | |
| 10.3. Possibility of hazardous | reactions | |
| Possibility of hazardous reactions | Will not polymerise. | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | Avoid heat, flames and other sources of ignition. | |
| 10.5. Incompatible materials | | |
| Materials to avoid | Strong oxidising agents. Strong acids. Strong alkalis. | |
| 10.6. Hazardous decomposition | on products | |
| Hazardous decomposition products | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. | |
| SECTION 11: Toxicological in | formation | |
| 11.1. Information on toxicolog | ical effects | |
| Skin contact | Causes skin irritation. May cause sensitisation by skin contact. | |
| Eye contact | Causes serious eye damage. | |
| SECTION 12: Ecological Infor | mation | |
| Ecotoxicity | Toxic to aquatic life with long lasting effects. | |
| 12.1. Toxicity | | |
| Ecological information on ingr | edients. | |
| | LIMONENE | |
| Acute aquatic to | xicity | |
| LE(C)50 | $0.1 < L(E)C50 \le 1$ | |
| M factor (Acute) | 1 | |
| Chronic aquatic toxicity | | |
| M factor (Chronic) 1 | | |
| 12.2. Persistence and degradability | | |
| Persistence and degradability | Persistence and degradability The product is expected to be biodegradable. | |
| 12.3. Bioaccumulative potenti | al | |
| Bioaccumulative potential | The product does not contain any substances expected to be bioaccumulating. | |
| 12.4. Mobility in soil | | |
| Mobility | The product is insoluble in water. | |

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

| SECTION 13: Disposal considerations | |
|-------------------------------------|--|
| | |

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

| SECTION 14: Transport information | |
|-----------------------------------|--|
| 14.1. UN number | |
| UN No. (ADR/RID) | 3082 |
| UN No. (IMDG) | 3082 |
| UN No. (ICAO) | 3082 |
| UN No. (ADN) | 3082 |
| 14.2. UN proper shipping name | |
| Proper shipping name (ADR/RID) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE) |
| Proper shipping name (IMDG) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE) |
| Proper shipping name (ICAO) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE) |
| Proper shipping name (ADN) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS CITRONELLOL, GERANYL ACETATE) |
| 14.3. Transport hazard class(es) | |
| | 0 |

| ADR/RID class | 9 |
|-----------------------------|----|
| ADR/RID classification code | M6 |
| ADR/RID label | 9 |
| IMDG class | 9 |
| ICAO class/division | 9 |
| ADN class | 9 |
| Transport labels | |

14.4. Packing group

| ADR/RID packing group | III |
|-----------------------|-----|
| IMDG packing group | III |
| ADN packing group | III |
| ICAO packing group | |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



| 14.6. Special precautions for user | |
|--|----------|
| EmS | F-A, S-F |
| ADR transport category | 3 |
| Emergency Action Code | •3Z |
| Hazard Identification Number (ADR/RID) | 90 |
| Tunnel restriction code | (E) |

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). |
|----------------|--|
| Guidance | Workplace Exposure Limits EH40 |

Guidance

orkplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

| Key literature references and sources for data | European Chemicals Agency, http://echa.europa.eu/ |
|--|---|
| Issued by | Regulatory Manager |
| Revision date | 04/06/2015 |
| Revision | 0 |
| Risk phrases in full | R10 Flammable. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. |

| Hazard statements in full | H226 Flammable liquid and vapour. |
|---------------------------|--|
| | H304 May be fatal if swallowed and enters airways. |
| | H315 Causes skin irritation. |
| | H317 May cause an allergic skin reaction. |
| | H318 Causes serious eye damage. |
| | H319 Causes serious eye irritation. |
| | H400 Very toxic to aquatic life. |
| | H410 Very toxic to aquatic life with long lasting effects. |
| | H411 Toxic to aquatic life with long lasting effects. |
| | |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.