In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

1

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:Rosewood oil; CAS: 83863-32-5Other identifiers:None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses:

1.3 Details of the supplier of the safety data sheet

Company name: Ancient Wisdom Marketing Ltd Company address: Block B, Parkwood Business Park 75 Parkwood Road Sheffield S3 8AL United Kingdom

E-Mail address:	care@ancientwisdom.biz	
Company phone:	+44 (0) 114 272 9165	
1.4 Emergency telephone number		
Emergency phone:	+44 (0) 114 272 9165	

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:	 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects. Classification under Directive 67/548/EEC
Hazard symbols:	Xi, Irritant.
Risk phrases:	R38, Irritating to the skin. R43, May cause sensitisation by skin contact. R52/53, Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

In accordance with REACH Regulation EC No.1907/2006

1

Version:

2.2 Label elements

	Classification under Regulation (EC) No 1272/2008
Signal word:	Warning
Hazard statements:	H315, Causes skin irritation. H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects.
M factor:	None
Supplemental Information:	None
Precautionary statements:	 P261, Avoid breathing vapour or dust. P264, Wash hands and other contacted skin thoroughly after handling. P272, Contaminated work clothing should not be allowed out of the workplace. P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P501, Dispose of contents/container to: approved disposal site.
Pictograms:	
Other hazards:	None
	Section 3. Composition / information on ingredients
3.1 Substances	
Product identifier:	Rosewood oil; CAS: 83863-32-5

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

Version:

1

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
Linalool	78-70-6	201-134-4		50-100%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
Benzyl benzoate	120-51-4	204-402-9		1-<5%	Xn-N ; R22-R51/53	ATO 4-EH A1-EH C2; H302-H400-H411,-
Geraniol	106-24-1	203-377-1		1-<5%	Xi ; R38-R41-R43	SCI 2-EDI 1-SS 1;H315- H317-H318,-
d,I-Limonene (isomer unspecified) ((+/-)-1- Methyl-4-(1- methylvinyl) cyclohexene)	7705-14-8	231-732-0		1-<5%	Xi-N ; R10-R38-R43-R50/53	FL 3-SCI 2-SS 1-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

Version:

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

1

Version:

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Clear amber mobile liquid
Odour:	Sweet, fresh, characteristic
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	75 °C
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
9.2 Other information:	None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

3200

11.1 Information on toxicological effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:

Assumed Toxicity Value (ED30 of ATE) for Acute Oral Toxicity.	5200
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:	>5000

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

1

Version:

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Inhalation Route: Not Available Not Available

Refer to Section 2 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

- 12.2 Persistence and degradability: Not available
- 12.3 Bioaccumulative potential: Not available
- 12.4 Mobility in soil: Not available
- 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number:	Not classified
14.2 UN Proper Shipping Name:	Not classified
14.3 Transport hazard class(es):	Not classified
Sub Risk:	Not classified
14.4. Packing Group:	Not classified
14.5 Environmental hazards:	Not environmentally hazardous for transport
14.6 Special precautions for user:	None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

1

Version:

Section 16. Other information

Concentration % Limits:	EH C3=20.83% SCI 2=10.87% EDI 2=10.00% EDI 2A=10.00% SS 1=100. 00%
Total Fractional Values:	EH C3=4.80 SCI 2=9.20 EDI 2=10.00 EDI 2A=10.00 SS 1=1.00
Key to revisions:	

Not applicable

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

In accordance with REACH Regulation EC No.1907/2006

Product: Rosewood oil EQA84250

1

Version:

P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370/378	In case of fire: Use for extinction: Foam, Dry chemical, Carbon dioxide.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to: approved disposal site.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.